

Year 2010

- Ajmone-Cat MA, Cacci E, Ragazzoni Y, Minghetti L, Biagioni S. Pro-gliogenic effect of IL-1 α in the differentiation of embryonic neural precursor cells *in vitro*. *J Neurochem*. 2010, 113: 1060-72. doi: 10.1111/j.1471-4159.2010.06670.x.
- Anastasiadou E, Boccellato F, Vincenti S, Rosato P, Bozzoni I, Frati L, Faggioni A, Presutti C, Trivedi P. Epstein-Barr virus encoded LMP1 downregulates TCL1 oncogene through miR-29b. *Oncogene*. 2010, 29: 1316-28. doi: 10.1038/onc.2009.439.
- Angelucci F, Dimastrogiovanni D, Boumis G, Brunori M, Miele AE, Saccoccia F, Bellelli A. Mapping the catalytic cycle of *Schistosoma mansoni* thioredoxin glutathione reductase by X-ray crystallography. *J Biol Chem*. 2010, 285: 32557-67. doi: 10.1074/jbc.M110.141960.
- Antonangeli F, Petrunaro S, Coluccia P, Filippini A, Ziparo E, Giampietri C. Testis atrophy and reduced sperm motility in transgenic mice overexpressing c-FLIP(L). *Fertil Steril*. 2010, 93: 1407-14. doi: 10.1016/j.fertnstert.2009.01.122.
- Arcovito A, Bonamore A, Hazemann JL, Boffi A, D'Angelo P. Unusual proximal heme pocket geometry in the deoxygenated *Thermobifida fusca*: a combined spectroscopic investigation. *Biophys Chem*. 2010;147: 1-7. doi:10.1016/j.bpc.2009.11.006.
- Auriche C, Di Domenico EG, Pierandrei S, Lucarelli M, Castellani S, Conese M, Melani R, Zegarra-Moran O, Ascenzioni F. CFTR expression and activity from the human CFTR locus in BAC vectors, with regulatory regions, isolated by a single-step procedure. *Gene Ther*. 2010, 17: 1341-54. doi:10.1038/gt.2010.89.
- Barks HL, Buckley R, Grieves GA, Di Mauro E, Hud N, Orlando T. Guanine, Adenine, Hypoxanthine production in UV-irradiated Formamide solutions: relaxation of the requirements for prebiotic purine nucleobase formation. *ChemBiochem*. 2010, 11: 1240-43. doi: 10.1002/cbic.201090037.
- Barnaba V. Hepatitis C virus infection: a "liaison a trois" amongst the virus, the host, and chronic low-level inflammation for human survival. *J Hepatol*. 2010, 53: 752-61. doi:10.1016/j.jhep.2010.06.003.
- Beauvillain C, Meloni F, Sirard JC, Blanchard S, Jarry U, Scotet M, Magistrelli G, Delneste Y, Barnaba V, Jeannin P. The scavenger receptors SRA-1 and SREC-I cooperate with TLR2 in the recognition of the hepatitis C virus non-structural protein 3 by dendritic cells. *J Hepatol*. 2010, 52: 644-51. doi: 10.1016/j.jhep.2009.11.031.
- Belleudi F, Cardinali G, Kovacs D, Picardo M, Torrisi MR. KGF promotes paracrine activation of the SCF/c-KIT axis from human keratinocytes to melanoma cells. *Transl Oncol*. 2010, 3: 80-90. doi: 10.1593/tlo.0919.
- Biaiva M, Porretta GC, Poce G, Battilocchio C, Alfonso S, De Logu A, Serra N, Manetti F, Botta M. Identification of a novel pyrrole derivative endowed with antimycobacterial activity and protection index comparable to that of the current antitubercular drugs streptomycin and rifampin. *Bioorg Med Chem*. 2010, 18: 8076-84. doi: 10.1016/j.bmc.2010.09.006.
- Binda C, Valente S, Romanenghi M, Pilotto S, Cirilli R, Karytinis A, Ciossani G, Botrugno OA, Forneris F, Tardugno M, Edmondson DE, Minucci S, Mattevi A, Mai A. Biochemical, structural, and biological evaluation of tranlylcypramine derivatives as inhibitors of histone demethylases LSD1 and LSD2. *J Am Chem Soc*. 2010, 132: 6827-6833.
- Borbone E, Berlingieri MT, De Bellis F, Nebbioso A, Chiappetta G, Mai A, Altucci L, Fusco A. Histone deacetylase inhibitors induce thyroid cancer-specific apoptosis through proteasome-dependent inhibition of TRAIL degradation. *Oncogene*. 2010, 29: 105-116. doi:10.1038/onc.2009.306.
- Brutus A, Sicilia F, Macone A, Cervone F, De Lorenzo G. A domain swap approach reveals a role of the plant wall-associated kinase 1 (WAK1) as a receptor of oligogalacturonides. *Proc Natl Acad Sci USA*. 2010, 107: 9453-7. doi: 10.1073/pnas.1000675107.
- Cacchiarelli D, Martone J, Girardi E, Cesana M, Incitti T, Nicoletti C, Santini T, Sthandier O, Auricchio A, Musarò A, Bozzoni I. MicroRNAs involved in molecular circuitries relevant for the Duchenne muscular dystrophy pathogenesis are controlled by the dystrophin/nNOS pathway. *Cell Metab*. 2010, 12: 341-51. doi: 10.1016/j.cmet.2010.07.008.
- Casalino M, Prosseda G, Barbagallo M, Iacobino A, Ceccarini P, Latella MC, Nicoletti M, Colonna B. Interference of the CadC regulator in the arginine-dependent acid resistance system of *Shigella* and enteroinvasive *E. coli*. *Int J Med Microbiol*. 2010, 300: 289-95. doi:10.1016/j.ijmm.2009.10.008.

BIBLIOGRAPHY 2010

- Castellano S, Milite C, Ragno R, Simeoni S, Maì A, Limongelli V, Novellino E, Bauer I, Brosch G, Spannhoff A, Cheng D, Bedford M T, Sbardella G. Design, synthesis and biological evaluation of carboxy analogues of arginine methyltransferase inhibitor 1 (AMI-1). *ChemMedChem*. 2010, 5: 398-414. doi: 10.1002/cmdc.200900459.
- Checquolo S, Palermo R, Cialfi S, Ferrara G, Oliviero C, Talora C, Bellavia D, Giovenco A, Grazioli P, Frati L, Gulino A, Screpanti I. Differential subcellular localization regulates c-Cbl E3 ligase activity upon Notch3 protein in T-cell leukemia. *Oncogene*. 2010, 1129: 1463-74. doi: 10.1038/onc.2009.446.
- Chevanne M, Zampieri M, Caldini R, Rizzo A, Ciccarone F, Catizone A, D'Angelo C, Guastafierro T, Biroccio A, Reale A, Zupi G, Caiafa P. Inhibition of PARP activity by PJ-34 leads to growth impairment and cell death associated with aberrant mitotic pattern and nucleolar actin accumulation in M14 melanoma cell line. *J Cell Physiol*. 2010, 222: 401-10. doi:10.1002/jcp.21964.
- Chiaretti S, Messina M, Tavolaro S, Zardo G, Elia L, Vitale A, Fatica A, Gorello P, Piciocchi A, Scappucci G, Bozzoni I, Fozza C, Candoni A, Guarini A, Foà R. Gene expression profiling identifies a subset of adult T-cell acute lymphoblastic leukemia with myeloid-like gene features and over-expression of miR-223. *Haematologica*. 2010, 95: 1114-21. doi: 10.1002/cnrc.25113.
- Chichiarelli S, Gaucci E, Ferraro A, Grillo C, Altieri F, Cocchiola R, Arcangeli V, Turano C, Eufemi M. Role of ERp57 in the signaling and transcriptional activity of STAT3 in a melanoma cell line. *Arch Biochem Biophys*. 2010, 494: 178-83. doi: 10.1016/j.abb.2009.12.004.
- Chinappi M, Via A, Marcatili P, Tramontano A. On the mechanism of chloroquine resistance in *Plasmodium falciparum*. *PLoS One*. 2010, 5:e14064. doi: 10.1371/journal.pone.0014064.
- Ciogli A, D'Acquarica I, Gasparrini F, Molinaro C, Rompietti R, Simone P, Villani C, Zappia G. Hybrid polyacrylamide chiral stationary phases for HPLC prepared by surface-initiated photopolymerization. *J Sep Sci*. 2010, 33: 3022-32. doi: 10.1002/jssc.201000355.
- Cocco E, Paladini F, Macino G, Fulci V, Fiorillo MT, Sorrentino R. The expression of vasoactive intestinal peptide receptor 1 is negatively modulated by microRNA 525-5p. *PLoS One*. 2010, 105:e12067. doi:10.1371/journal.pone.0012067.
- Colelli V, Fiorenza MT, Conversi D, Orsini C, Cabib S. Strain-specific proportion of the two isoforms of the dopamine D2 receptor in the mouse striatum: associated neural and behavioral phenotypes. *Genes, Brain and Behavior* 2010, 9: 703-711. doi: 10.1111/j.1601-183X.2010.00604.x.
- Colussi C, Banfi C, Brioschi M, Tremoli E, Straino S, Spallotta F, Mai A, Rotili D, Capogrossi MC, Gaetano C. Proteomic profile of differentially expressed plasma proteins from dystrophic mice and following suberoylanilide hydroxamic acid treatment. *Proteomics Clin Appl*. 2010, 4: 71-83. doi: 10.1002/prca.200900116.
- Colussi C, Berni R, Rosati J, Straino S, Vitale S, Spallotta F, Baruffi S, Bocchi L, Delucchi F, Rossi S, Savi M, Rotili D, Quaini F, Macchi E, Stilli D, Musso E, Mai A, Gaetano C, Capogrossi MC. The histone deacetylase inhibitor suberoylanilide hydroxamic acid reduces cardiac arrhythmias in dystrophic mice. *Cardiovasc Res*. 2010, 87: 73-82. doi: 10.1093/cvr/cvq035.
- Colussi C, Illi B, Rosati J, Spallotta F, Farsetti A, Grasselli A, Mai A, Capogrossi MC, Gaetano C. Histone deacetylase inhibitors: keeping momentum for neuromuscular and cardiovascular diseases treatment. *Pharmacol Res*. 2010, 62: 3-10. doi: 10.1016/j.phrs.2010.02.014.
- Curtale G, Citarella F, Carissimi C, Goldoni M, Carucci N, Fulci V, Franceschini D, Meloni F, Barnaba V, Macino G. An emerging player in the adaptive immune response: microRNA-146a is a modulator of IL-2 expression and AICD in T lymphocytes. *Blood* 2010, 115: 265-73. doi: 10.1182/blood-2009-06-225987.
- De Chiara G, Marcocci ME, Civitelli L, Argnani R, Piacentini R, Ripoli C, Manservigi R, Grassi C, Garaci E, Palamara AT. APP processing induced by herpes simplex virus type 1 (HSV-1) yields several APP fragments in human and rat neuronal cells. *PLoS One*. 2010; 5: e13989. doi:10.1371/journal.pone.0013989.
- De Jaco A, Dubi N, Comoletti D, Taylor P. Folding anomalies of neuroligin3 caused by a mutation in the α/β -hydrolase fold domain. *Chem Biol Interact*. 2010, 187: 56-8. DOI 10.1074/jbc.M110.139519.
- De Jaco A, Lin MZ, Dubi N, Comoletti D, Miller MT, Camp S, Ellisman M, Butko MT, Tsien RY, Taylor P. Neuroligin trafficking arising from mutations in the α/β -hydrolase fold protein family. *J Biol Chem*. 2010, 285: 28674-82. doi: 10.1016/j.cbi.2010.03.012.
- De Leo A, Matusali G, Arena G, Di Renzo L, Mattia E. Epstein-Barr virus lytic cycle activation

- alters proteasome subunit expression in Burkitt's lymphoma cells. *Biol Chem.* 2010, 391: 1041-46. doi: 10.1515/BC.2010.107.
- De Santis P, Morosetti S, Scipioni A. Prediction of nucleosome positioning in genomes: limits and perspectives of physical and bioinformatic approaches. *J Biomol Struct Dyn.* 2010; 27: 747-64.
- Di Santo R. Natural products as antifungal agents against clinically relevant pathogens. *Nat Prod Rep.* 2010, 27: 1084-1098. doi: 10.1039/b914961a.
- Dimastrogiovanni D, Anselmi M, Miele AE, Boumis G, Petersson L, Angelucci F, Di Nola A, Brunori M, Bellelli A. Combining crystallography and molecular dynamics: the case of *Schistosoma mansoni* phospholipid glutathione peroxidase. *Proteins.* 2010, 78: 259-70. doi: 10.1002/prot.22536.
- Droghetti E, Nicoletti FP, Bonamore A, Boechi L, Pau AM, Estrin D, Boffi A, Smulevich G, Feis A. Heme pocket structural properties of a bacterial truncated hemoglobin from *Thermobifida fusca*. *Biochemistry.* 2010, 49: 10394-402. doi:10.1021/bi101452k.
- Fernandez-Diaz LC, Laurent A, Girasoli S, Turco M, Longobardi E, Iotti G, Jenkins NA, Fiorenza MT, Copeland NG, Blasi F. The absence of Prep1 causes p53-dependent apoptosis of mouse pluripotent epiblast cells. *Development.* 2010, 137: 3393-3403. doi: 10.1242/dev.050567.
- Ferretti V, Rouillet P, Sargolini F, Rinaldi A, Perri V, Del Fabbro M, Costantini VJA, Annesse V, Scesa G, De Stefano ME, Oliverio A, Mele A. Ventral striatal plasticity and spatial memory. *Proc Natl Acad Sci USA.* 2010, 107: 7945-50. doi: 10.1073/pnas.0911757107.
- Fradiani PA, Petrucca A, Ascenzioni F, Di Nucci G, Teggi A, Bilancini S, Cipriani P. Endocarditis caused by *Lactobacillus jensenii* in an immunocompetent patient. *J Med Microbiol.* 2010, 59: 607-9. doi: 10.1099/jmm.0.017764-0.
- Fulci V, Scappucci G, Sebastiani GD, Giannitti C, Franceschini D, Meloni F, Colombo T, Citarella F, Barnaba V, Galeazzi M, Macino G. miR-223 is over-expressed in Tlymphocytes of patients affected by rheumatoid arthritis. *Hum Immunol.* 2010, 71: 206-11. doi: 10.1016/j.humimm.2009.11.008.
- Galli R, Starace D, Busà R, Angelini DF, Paone A, De Cesaris P, Filippini A, Sette C, Battistini L, Ziparo E, Riccioli A. TLR stimulation of prostate tumor cells induces chemokine-mediated recruitment of specific immune cell types. *J Immunol.* 2010, 184: 6658-69. doi:10.4049/jimmunol.0902401.
- Giangrossi M, Prosseda G, Tran CN, Brandi A, Colonna B, Falconi M. A novel antisense RNA regulates at transcriptional level the virulence gene *icsA* of *Shigella flexneri*. *Nucleic Acids Res.* 2010, 38: 3362-75. doi: 10.1093/nar/gkq025.
- Gianni S, Ivarsson Y, De Simone A, Travaglini-Allocatelli C, Brunori M, Vendruscolo M. Structural characterization of a misfolded intermediate populated during the folding process of a PDZ domain. *Nat Struct Mol Biol.* 2010, 12: 1431-7. doi:10.1038/nsmb.1956.
- Giombini E, Orsini M, Carabino D, Tramontano A. An automatic method for identifying surface proteins in bacteria: SLEP. *BMC Bioinformatics.* 2010, 11: 39. doi: 10.1186/1471-2105-11-39.
- Gouagna LC, Bancone G, Yao F, Yameogo B, Dabiré KR, Costantini C, Simpore J, Ouedraogo JB, Modiano D. Genetic variation in human HBB is associated with *Plasmodium falciparum* transmission. *Nat Genet.* 2010, 42: 328-31. doi: 10.1038/ng.554.
- Imig J, Motsch N, Zhu J, Barth S, Okoniewski M, Tinguely M, Kurrer M, Schraml P, Moch H, Faggioni A, Trivedi P, Meister G, Renner C, Grasser MG. microRNA profiling in EBV-associated B-cell lymphomas. *Nucleic Acids Res.* 2010. doi: 10.1093/nar/gkq1043.
- Incitti T, De Angelis FG, Cazzella V, Sthandier O, Pinnarò C, Legnini I, Bozzoni I. Exon skipping and Duchenne muscular dystrophy therapy: selection of the most active U1 snRNA-antisense able to induce dystrophin exon 51. *Mol Ther.* 2010, 18: 1675-82. doi:10.1038/mt.2010.123.
- Kettner A, Di Matteo M, Santoni A. Insulin potentiates FcepsilonRI-mediated signaling in mouse bone marrow-derived mast cells. *Mol Immunol.* 2010, 47: 1039-46. doi:10.1016/j.molimm.2009.11.013.
- Kovacs D, Cardinali G, Aspö N, Cota C, Luzi F, Bellei B, Briganti S, Amantea A, Torrisi MR, Picardo M. Role of fibroblast-derived growth factors in regulating hyperpigmentation of solar lentigo. *Br J Dermatol.* 2010, 163: 1020-27. doi: 10.1111/j.1365-2133.2010.09946.x.
- La Regina G, Coluccia A, Silvestri R. Looking for an active conformation of the future HIV-1 non-nucleoside reverse transcriptase inhibitors. *Antiviral Chem Chemoth.* 2010, 20: 231-7. doi: 10.3851/IMP1607.
- Laneve P, Gioia U, Andriotto A, Moretti F, Bozzoni I, Caffarelli E. A minicircuitry involving REST and CREB controls miR-9-2 expression during human neuronal differentiation. *Nucleic Acids Res.* 2010, 38: 6895-905. doi: 10.1093/nar/gkq604.

BIBLIOGRAPHY 2010

- Lauro C, Cipriani R, Catalano M, Trettel F, Chece G, Brusadin V, Antonilli L, Van Rooijen N, Eusebi F, Fredholm BB, Limatola C. Adenosine A1 receptors and microglial cells mediate CX3CL1-induced protection of hippocampal neurons against Glu-induced death. *Neuropsychopharmacol.* 2010, 35: 1550-59. doi:10.1038/npp.2010.26.
- Le Pera L, Marcatili P, Tramontano A. Picmi: mapping point mutations on genomes. *Bioinformatics.* 2010, 26: 2904-5. doi: 10.1093/bioinformatics/btq547.
- Lionetti V, Francocci F, Ferrari S, Volpi C, Bellincampi D, Galletti R, D'Ovidio R, De Lorenzo G, Cervone F. Engineering the cell wall by reducing de-methyl-esterified homogalacturonan improves saccharification of plant tissues for bioconversion. *Proc Natl Acad Sci USA.* 2010, 107: 616-21. doi: 10.1073/pnas.0907549107.
- Mancone C, Conti B, Amicone L, Bordoni V, Cicchini C, Calvo L, Basulto Perdomo A, Fimia G M, Tripodi M, Alonzi T. Proteomic analysis reveals a major role of contact inhibition in the execution of hepatocyte terminal differentiation. *J Hepatol.* 2010, 52: 234-43. doi:10.1016/j.jhep.2009.11.013.
- Marcellini L, Giammatteo M, Aimola P, Mangoni ML. Fluorescence and electron microscopy methods for exploring antimicrobial peptides mode(s) of action. *Methods Mol Biol.* 2010, 618:249-66. doi: 10.1007/978-1-60761-594-1_16.
- Mastronicola D, Testa F, Forte E, Bordi E, Pucillo LP, Sarti P, Giuffrè A. Flavohemoglobin and nitric oxide detoxification in the human protozoan parasite *Giardia intestinalis*. *Biochem Biophys Res Commun.* 2010, 399: 654-8. doi: 10.1016/j.bbrc.2010.07.137.
- Messina M, Chiaretti S, Tavolaro S, Peragine N, Vitale A, Elia L, Sica S, Levis A, Guarini A, Foà R. Protein kinase gene expression profiling and *in vitro* functional experiments identify novel potential therapeutic targets in adult acute lymphoblastic leukemia. *Cancer.* 2010, 116: 3426-37. doi: 10.1002/cncr.25113.
- Micheli E, Martufi M, Cacchione S, De Santis P, Savino M. Self-organization of G-quadruplex structures in the hTERT core promoter stabilized by polyaminic side chain perylene derivatives. *Biophys Chem.* 2010, 153: 43-53. doi: 10.1016/j.bpc.2010.10.003.
- Miele R, Lattanzi R, Bonaccorsi di Patti MC, Paiardini A, Negri L, Barra D. Expression of Bv8 in *Pichia pastoris* to identify structural features for receptor binding. *Protein Expr Purif.* 2010, 73: 10-4. doi: 10.1016/j.pep.2010.04.012.
- Molfetta R, Gasparrini F, Santoni A, Paolini R. Ubiquitination and endocytosis of the high affinity receptor for IgE. *Mol Immunol.* 2010, 47: 2427-34. doi: 10.1016/j.molimm.2010.06.003.
- Moni L, Ciogli A, D'Acquarica I, Dondoni A, Gasparrini F, Marra A. Synthesis of sugar-based silica gels by copper-catalysed azide-alkyne cycloaddition via a single-step azido-activated silica intermediate and the use of the gels in hydrophilic interaction chromatography. *Chem Eur J.* 2010, 16: 5712-22. doi: 10.1002/chem.201000106.
- Montanari A, De Luca C, Frontali L, Francisci S. Aminoacyl-tRNA synthetases are multivalent suppressors of defects due to human equivalent mutations in yeast mt tRNA genes. *Biochimica et Biophysica Acta* 2010, 1803: 1050-57. doi:10.1016/j.bbamer.2010.05.003.
- Moubayidin L, Perilli S, Dello Ioio R, Di Mambro R, Costantino P, Sabatini S. The rate of cell differentiation controls the Arabidopsis root meristem growth phase. *Curr Biol.* 2010, 20: 1138-1143. doi:10.1016/j.cub.2010.05.035.
- Musarò A, Barberi L. Isolation and culture of mouse satellite cells. *Methods Mol Biol.* 2010, 633: 101-11. doi: 10.1007/978-1-59745-019-5_8.
- Musarò A, Fulle S, Fanò G. Oxidative stress and muscle homeostasis. *Curr Opin Clin Nutr Metab Care.* 2010, 13: 236-42. doi:10.1097/MCO.0b013e3283368188.
- Musmuca I, Caroli A, Mai A, Kaushik-Basu N, Arora P, Ragno R. Combining 3-D quantitative structure-activity relationship with ligand based and structure based alignment procedures for in silico screening of new hepatitis C virus NS5B polymerase inhibitors. *J Chem Inf Model.* 2010, 50: 662-76. doi:10.1021/ci9004749.
- Nebbioso A, Dell'Aversana C, Bugge A, Sarno R, Valente S, Rotili D, Manzo F, Teti D, Mandrup S, Ciana P, Maggi A, Mai A, Gronemeyer H, Altucci L. HDACs class II-selective inhibition alters nuclear receptor-dependent differentiation. *J Mol Endocrinol.* 2010, 45: 219-28. doi: 10.1677/JME-10-0043.
- Nicoletti FP, Comandini A, Bonamore A, Boechi L, Boubeta FM, Feis A, Smulevich G, Boffi A. Sulfide binding properties of truncated hemoglobins. *Biochemistry.* 2010; 49: 2269-78. doi: 10.1021/bi901671d.
- Nurzia E, Panimolle F, Cauli A, Mathieu A, Magnacca A, Paladini F, Sorrentino R, Fiorillo MT. CD8+ T-cell mediated self-reactivity in HLA-B27 context as a consequence of dual peptide conforma-

- tion. *Clin Immunol.* 2010, 135: 476-82. doi: 10.1016/j.clim.2010.01.009.
- Palacios D, Mozzetta C, Consalvi S, Caretti G, Saccone V, Proserpio V, Marquez VE, Valente S, Mai A, Forcales SV, Sartorelli V, Puri PL. TNF/ $p38\alpha$ /polycomb signaling to Pax7 locus in satellite cells links inflammation to the epigenetic control of muscle regeneration. *Cell Stem Cell.* 2010, 7: 455-69. doi: 10.1016/j.stem.2010.08.013.
- Palermo V, Cundari E, Mangiapelo E, Falcone C, Mazzoni C. Yeast lsm pro-apoptotic mutants show defects in S-phase entry and progression. *Cell Cycle.* 2010, 9: 3991-96. doi: 10.4161/cc.9.19.13210.
- Palermo V, Falcone C, Calvani M, Mazzoni C. Acetyl-L-carnitine protects yeast cells from apoptosis and aging and inhibits mitochondrial fission. *Aging Cell.* 2010, 9: 570-9. doi: 10.1111/j.1474-9726.2010.00587.
- Paone A, Galli R, Gabellini C, Lukashev D, Starace D, Gorchach A, De Cesaris P, Ziparo E, Del Bufalo D, Sitkovsky MV, Filippini A, Riccioli A. Toll-like receptor 3 regulates angiogenesis and apoptosis in prostate cancer cell lines through hypoxia-inducible factor 1 alpha. *Neoplasia.* 2010; 7: 539-49. doi: 10.1593/neo.92106.
- Pasco MY, Rotili D, Altucci L, Farina F, Rouleau GA, Mai A, Néri C. Characterization of sirtuin inhibitors in nematodes expressing a muscular dystrophy protein reveals muscle cell and behavioral protection by specific sirtinol analogues. *J Med Chem.* 2010, 53: 1407-11. doi: 10.1021/jm9013345.
- Piccinin S, Di Angelantonio S, Piccioni A, Volpini R, Cristalli G, Fredholm BB, Limatola C, Eusebi F, Ragozzino D. CX3CL1-induced modulation at CA1 synapses reveals multiple mechanisms of EPSC modulation involving AR subtypes. *J Neuroimmunol.* 2010, 224: 85-92. doi:10.1016/j.jneuroim.2010.05.012.
- Pierangeli A, Scagnolari C, Gentile M, Spina MT, Iudicello A, Bertazzoni G, Antonelli G. Virological diagnosis of respiratory virus infection in patients attending an emergency department during the influenza season. *Clin Microbiol Infect.* 2010, 16: 391-3. doi: 10.1111/j.1469-0691.2009.03119.x.
- Pisano S, Leoni D, Galati A, Rhodes D, Savino M, Cacchione S. The human telomeric protein hTRF1 induces telomere-specific nucleosome mobility. *Nucleic Acids Res.* 2010, 38: 2247-55. doi: 10.1093/nar/gkp1228.
- Porzia A, Lanzardo S, Citti A, Cavallo F, Forni G, Santoni A, Galandrini R, Paolini R. Attenuation of PI3K/Akt-mediated tumorigenic signals through PTEN activation by DNA vaccine-induced anti-ErbB2 antibodies. *J Immunol.* 2010, 184: 4170-7. doi: 10.4049/jimmunol.0903375.
- Prosseda G, Mazzola A, Di Martino ML, Tielker D, Micheli G, Colonna B. A temperature-induced narrow DNA curvature range sustains the maximum activity of a bacterial promoter *in vitro*. *Biochemistry* 2010, 49: 2778-85. doi: 10.1021/bi902003g.
- Quinti L, Chopra V, Rotili D, Valente S, Amore A, Franci G, Meade S, Valenza M, Altucci L, Maxwell MM, Cattaneo E, Hersch S, Mai A, Kazantsev A. Evaluation of histone deacetylases as drug targets in Huntington's disease models. Study of HDACs in brain tissues from R6/2 and CAG140 knock-in HD mouse models and human patients and in a neuronal HD cell model. *PLoS Curr.* 2010, Sep 22. pii: RRN1172. doi: 10.1371/currents.RRN1172.
- Rinaldi A, Vincenti S, De Vito F, Bozzoni I, Oliverio A, Presutti C, Fragapane P, Mele A. Stress induces region specific alterations in microRNAs expression in mice. *Behav Brain Res.* 2010, 208: 265-9. doi:10.1016/j.bbr.2009.11.012.
- Rinaldi T, Dallabona C, Ferrero I, Frontali L, Bolotin-Fukuhara M. Mitochondrial diseases and the role of the yeast models. *FEMS Yeast Res.* 2010, 10: 1006-22. doi: 10.1111/j.1567-1364.2010.00685.
- Rotili D, Tarantino D, Carafa V, Lara E, Meade S, Botta G, Nebbioso A, Schemies J, Jung M, Kazantsev AG, Esteller M, Fraga MF, Altucci L, Mai A. Identification of tri- and tetracyclic pyrimidinediones as sirtuin inhibitors. *ChemMedChem.* 2010, 5: 674-77. doi: 10.1002/cmde.201000030.
- Ruotolo R, Tosi F, Vernarecci S, Ballario P, Mai A, Filetici P, Ottonello S. Chemogenomic profiling of the cellular effects associated with histone H3 acetylation impairment by a quinoline-derived compound. *Genomics.* 2010, 96: 272-80. doi:10.1016/j.ygeno.2010.08.005.
- Saladino R, Barontini M, Crucianelli M, Nencioni L, Sgarbanti R, Palamara AT. Current advances in Anti-influenza Therapy. *Curr Med Chem.* 2010; 17: 2101-40.
- Saladino R, Neri V, Crestini C, Costanzo G, Graciotti M, Di Mauro E. The role of the formamide/zirconia system in the synthesis of nucleobases and biogenic carboxylic acid derivatives. *J Mol Evol.* 2010, 71: 100-10. doi: 10.1007/s00239-010-9366-7.
- Santonico E, Belleudi F, Panni S, Torrisi MR, Cesareni G, Castagnoli L. Multiple modification and protein interaction signals drive the Ring finger protein

BIBLIOGRAPHY 2010

- 11 (RNF11) E3 ligase to the endosomal compartment. *Oncogene*. 2010, 29: 5604-18. doi:10.1038/onc.2010.294.
- Scaloni F, Federici L, Brunori M, Gianni S. Deciphering the folding transition state structure and denatured state properties of nucleophosmin C-terminal domain. *Proc Natl Acad Sci USA*. 2010, 107: 5447-52. doi: 10.1073/pnas.0910516107.
- Sciaccaluga M, Fioretti B, Catacuzzeno L, Pagani F, Bertollini C, Rosito C, Catalano M, D'Alessandro G, Santoro A, Cantore G, Ragozzino D, Castigli E, Franciolini F, Limatola C. CXCL12-induced glioblastoma cell migration requires intermediate-conductance Ca²⁺-activated K⁺ channel activity. *Am J Physiol Cell Physiol*. 2010, 299: C175-84 doi: 10.1152/ajpcell.00344.2009.
- Scipioni A, Turchetti G, Morosetti S, De Santis P. Geometrical, conformational and topological restraints in regular nucleosome compaction in chromatin. *Biophys Chem*. 2010, 148: 56-67. doi: 10.1016/j.bpc.2010.02.010.
- Sciumè G, Santoni A, Bernardini G. Chemokines and glioma: invasion and more. *J Neuroimmunol*. 2010, 224(1-2): 8-12. doi:10.1016/j.jneuroim.2010.05.019.
- Spallotta F, Rosati J, Straino S, Nanni S, Grasselli A, Ambrosino V, Rotili D, Valente S, Farsetti A, Mai A, Capogrossi MC, Gaetano C, Illi B. Nitric oxide determines mesodermic differentiation of mouse embryonic stem cells by activating class IIa histone deacetylases: potential therapeutic implications in a mouse model of hindlimb ischemia. *Stem Cells*. 2010, 28: 431-42 doi: 10.1002/stem.300.
- Specchia V, Piacentini L, Tritto P, Fanti L, D'Alessandro R, Palumbo G, Pimpinelli S and Bozzetti MP. HSP90 prevents phenotypic variation by suppressing the mutagenic activity of transposons. *Nature*. 2010, 463: 662-665. doi:10.1038/nature08739.
- Stabile H, Carlino C, Mazza C, Giliani S, Morrone S, Notarangelo LD, Notarangelo LD, Santoni A, Gismondi A. Impaired NK-cell migration in WAS/XLT patients: role of Cdc42/WASp pathway in the control of chemokine-induced beta2 integrin high-affinity state. *Blood*. 2010, 115: 2818-26. doi: 10.1182/blood-2009-07-235804.
- Tavolaro S, Chiaretti S, Messina M, Peragine N, Del Giudice I, Marinelli M, Santangelo S, Mauro FR, Guarini A, Foà R. Gene expression profile of protein kinases reveals a distinctive signature in chronic lymphocytic leukemia and in vitro experiments support a role of second generation protein kinase inhibitors. *Leukemia Res*. 2010, 34: 733-41. doi:10.1016/j.leukres.2009.11.005.
- Tempera I, Deng Z, Atanasiu C, Chen CJ, D'Erme M, Lieberman PM. Regulation of Epstein-Barr virus OriP replication by poly(ADP-ribose) polymerase 1. *J Virol*. 2010, 84: 4988-97. doi: 10.1128/JVI.02333-09.
- Thaler F, Varasi M, Colombo A, Boggio R, Munari D, Regalia N, Rozio MG, Reali V, Resconi AE, Mai A, Gagliardi S, Dondio G, Minucci S, Mercurio C. Synthesis and biological characterization of amidopropenyl hydroxamates as HDAC inhibitors. *ChemMedChem*. 2010, 5: 1359-1372. doi: 10.1002/cmdc.201000166.
- Tramontano E, Di Santo R. HIV-1 RT-associated RNase H function inhibitors: recent advances in drug development. *Curr Med Chem*. 2010, 17: 2837-2851.
- Trettel F, Di Angelantonio S, Limatola C, Ransohoff RR. Conference report: Chemokines and chemokine receptors in the nervous system, Rome, 24/25 October, 2009; 2nd workshop. *J Neuroimmunol*. 2010, 224: 1-7. doi:10.1016/j.jneuroim.2010.05.001.
- Uccelletti D, Zanni E, Marcellini L, Palleschi C, Barra D, Mangoni ML. Anti-Pseudomonas activity of frog skin antimicrobial peptides in a *Caenorhabditis elegans* infection model: a plausible mode of action in vitro and in vivo. *Antimicrob Agents Chemother*. 2010, 54: 3853-60. doi: 10.1128/AAC.00154-10.
- Wilkins BJ, Marionni S, Young DD, Liu J, Wang Y, Di Salvo ML, Deiters A, Cropp TA. Site-specific incorporation of fluorotyrosines into proteins in *Escherichia coli* by photochemical disguise. *Biochemistry*. 2010; 49: 1557-9. doi: 10.1021/bi100013s.
- Zhu H, Shan L, Schiller PW, Mai A, Peng T. Histone deacetylase-3 activation promotes TNF- α expression in cardiomyocytes during lipopolysaccharide stimulation. *J Biol Chem*. 2010, 285: 9429-9436. doi: 10.1074/jbc.M109.071274.